



由于技术和产品不断更新，外形与技术方面如有更改恕不另行通知。未经张家港保税区华纳工具有限公司书面允许，不得擅自翻印、传播、使用手册中的图片及版式或修改本手册。

The product appearance and technique are subject to our material object without notice due to continuous product improvement. All copyright of this manual owned by our company, shall not be printed without written permission.



华纳工具 切削专家
HUANATOOLS SLOTTING & MILLING EXPERT

HUANATOOLS



张家港保税区华纳工具有限公司 ZHANGJIAGANG BONDED ZONE HUANATOOLS CO., LTD.

地址：江苏省张家港市杨舍镇悦丰路11号

Add: 11# YueFeng Road, Zhangjiagang Economic
Development Zone, Jiangsu Province, China

电话: +86-18505123093

what'sAPP/Phone: +86-18505123093

QQ: 2429261288 WeChat: 756541917

Email: info@huanatools.com; michael@huanatools.com

Website: www.huanatools.com


张家港保税区华纳工具有限公司 ZHANGJIAGANG BONDED ZONE HUANATOOLS CO., LTD.

HN-3D-TD | 3D钨钢钻头外冷


3D Carbide drill



技术参数 TECHNICAL PARAMETER



P	●
K	●
N	○
M	○
S	○
H	○





技术参数 TECHNICAL PARAMETER

型号 Order NO.	刃径 d	刃长 l	柄径 D	全长 L	型号 Order NO.	刃径 d	刃长 l	柄径 D	全长 L
HN-3D-TD-0010	1	4	4	50	HN-3D-TD-0042	4.2	24	6	66
HN-3D-TD-0011	1.1	4	4	50	HN-3D-TD-0043	4.3	24	6	66
HN-3D-TD-0012	1.2	4	4	50	HN-3D-TD-0044	4.4	24	6	66
HN-3D-TD-0013	1.3	5	4	50	HN-3D-TD-0045	4.5	24	6	66
HN-3D-TD-0014	1.4	5	4	50	HN-3D-TD-0046	4.6	24	6	66
HN-3D-TD-0015	1.5	6	4	50	HN-3D-TD-0047	4.7	24	6	66
HN-3D-TD-0016	1.6	6	4	50	HN-3D-TD-0048	4.8	28	6	66
HN-3D-TD-0017	1.7	7	4	50	HN-3D-TD-0049	4.9	28	6	66
HN-3D-TD-0018	1.8	7	4	50	HN-3D-TD-0050	5	28	6	66
HN-3D-TD-0019	1.9	8	4	50	HN-3D-TD-0051	5.1	28	6	66
HN-3D-TD-0020	2	8	4	50	HN-3D-TD-0052	5.2	28	6	66
HN-3D-TD-0021	2.1	9	4	50	HN-3D-TD-0053	5.3	28	6	66
HN-3D-TD-0022	2.2	9	4	50	HN-3D-TD-0054	5.4	28	6	66
HN-3D-TD-0023	2.3	9	4	50	HN-3D-TD-0055	5.5	28	6	66
HN-3D-TD-0024	2.4	10	4	50	HN-3D-TD-0056	5.6	28	6	66
HN-3D-TD-0025	2.5	10	4	50	HN-3D-TD-0057	5.7	28	6	66
HN-3D-TD-0026	2.6	11	4	50	HN-3D-TD-0058	5.8	28	6	66
HN-3D-TD-0027	2.7	11	4	50	HN-3D-TD-0059	5.9	28	6	66
HN-3D-TD-0028	2.8	11	4	50	HN-3D-TD-0060	6	28	6	66
HN-3D-TD-0029	2.9	2.9	4	50	HN-3D-TD-0061	6.1	34	8	79
HN-3D-TD-0030	3	20	4	62	HN-3D-TD-0062	6.2	34	8	79
HN-3D-TD-0031	3.1	20	4	62	HN-3D-TD-0063	6.3	34	8	79
HN-3D-TD-0032	3.2	20	4	62	HN-3D-TD-0064	6.4	34	8	79
HN-3D-TD-0033	3.3	20	4	62	HN-3D-TD-0065	6.5	34	8	79
HN-3D-TD-0034	3.4	20	4	62	HN-3D-TD-0066	6.6	34	8	79
HN-3D-TD-0035	3.5	20	4	62	HN-3D-TD-0067	6.7	34	8	79
HN-3D-TD-0036	3.6	20	4	62	HN-3D-TD-0068	6.8	34	8	79
HN-3D-TD-0037	3.7	20	4	62	HN-3D-TD-0069	6.9	34	8	79
HN-3D-TD-0038	3.8	24	4	62	HN-3D-TD-0070	7	34	8	79
HN-3D-TD-0039	3.9	24	4	62	HN-3D-TD-0071	7.1	41	8	79
HN-3D-TD-0040	4	24	4	62	HN-3D-TD-0072	7.2	41	8	79
HN-3D-TD-0041	4.1	24	6	66	HN-3D-TD-0073	7.3	41	8	79

型号 Order NO.	刃径 d	刃长 l	柄径 D	全长 L	型号 Order NO.	刃径 d	刃长 l	柄径 D	全长 L
HN-3D-TD-0074	7.4	41	8	79	HN-3D-TD-0116	11.6	55	12	102
HN-3D-TD-0075	7.5	41	8	79	HN-3D-TD-0117	11.7	55	12	102
HN-3D-TD-0076	7.6	41	8	79	HN-3D-TD-0118	11.8	55	12	102
HN-3D-TD-0077	7.7	41	8	79	HN-3D-TD-0119	11.9	55	12	102
HN-3D-TD-0078	7.8	41	8	79	HN-3D-TD-0120	12	55	12	102
HN-3D-TD-0079	7.9	41	8	79	HN-3D-TD-0121	12.1	60	14	107
HN-3D-TD-0080	8	41	8	79	HN-3D-TD-0122	12.2	60	14	107
HN-3D-TD-0081	8.1	47	10	89	HN-3D-TD-0123	12.3	60	14	107
HN-3D-TD-0082	8.2	47	10	89	HN-3D-TD-0124	12.4	60	14	107
HN-3D-TD-0083	8.3	47	10	89	HN-3D-TD-0125	12.5	60	14	107
HN-3D-TD-0084	8.4	47	10	89	HN-3D-TD-0126	12.6	60	14	107
HN-3D-TD-0085	8.5	47	10	89	HN-3D-TD-0127	12.7	60	14	107
HN-3D-TD-0086	8.6	47	10	89	HN-3D-TD-0128	12.8	60	14	107
HN-3D-TD-0087	8.7	47	10	89	HN-3D-TD-0129	12.9	60	14	107
HN-3D-TD-0088	8.8	47	10	89	HN-3D-TD-0130	13	60	14	107
HN-3D-TD-0089	8.9	47	10	89	HN-3D-TD-0131	13.1	60	14	107
HN-3D-TD-0090	9	47	10	89	HN-3D-TD-0132	13.2	60	14	107
HN-3D-TD-0091	9.1	47	10	89	HN-3D-TD-0133	13.3	60	14	107
HN-3D-TD-0092	9.2	47	10	89	HN-3D-TD-0134	13.4	60	14	107
HN-3D-TD-0093	9.3	47	10	89	HN-3D-TD-0135	13.5	60	14	107
HN-3D-TD-0094	9.4	47	10	89	HN-3D-TD-0136	13.6	60	14	107
HN-3D-TD-0095	9.5	47	10	89	HN-3D-TD-0137	13.7	60	14	107
HN-3D-TD-0096	9.6	47	10	89	HN-3D-TD-0138	13.8	60	14	107
HN-3D-TD-0097	9.7	47	10	89	HN-3D-TD-0139	13.9	60	14	107
HN-3D-TD-0098	9.8	47	10	89	HN-3D-TD-0140	14	60	14	107
HN-3D-TD-0099	9.9	47	10	89	HN-3D-TD-0145	14.5	65	16	115
HN-3D-TD-0100	10	47	10	89	HN-3D-TD-0146	14.6	65	16	115
HN-3D-TD-0101	10.1	55	12	102	HN-3D-TD-0147	14.7	65	16	115
HN-3D-TD-0102	10.2	55	12	102	HN-3D-TD-0148	14.8	65	16	115
HN-3D-TD-0103	10.3	55	12	102	HN-3D-TD-0149	14.9	65	16	115
HN-3D-TD-0104	10.4	55	12	102	HN-3D-TD-0150	15	65	16	115
HN-3D-TD-0105	10.5	55	12	102	HN-3D-TD-0151	15.1	65	16	115
HN-3D-TD-0106	10.6	55	12	102	HN-3D-TD-0152	15.2	65	16	115
HN-3D-TD-0107	10.7	55	12	102	HN-3D-TD-0153	15.3	65	16	115
HN-3D-TD-0108	10.8	55	12	102	HN-3D-TD-0154	15.4	65	16	115
HN-3D-TD-0109	10.9	55	12	102	HN-3D-TD-0155	15.5	65	16	115
HN-3D-TD-0110	11	55	12	102	HN-3D-TD-0156	15.6	65	16	115
HN-3D-TD-0111	11.1	55	12	102	HN-3D-TD-0157	15.7	65	16	115
HN-3D-TD-0112	11.2	55	12	102	HN-3D-TD-0158	15.8	65	16	115
HN-3D-TD-0113	11.3	55	12	102	HN-3D-TD-0159	15.9	65	16	115
HN-3D-TD-0114	11.4	55	12	102	HN-3D-TD-0160	16	65	16	115
HN-3D-TD-0115	11.5	55	12	102					

HN-3D-CD

3D钨钢钻头内冷
3D Carbide drills with cooling hole



P	●
K	●
N	○
M	○
S	○
H	○

技术参数 TECHNICAL PARAMETER

型号 Order NO.	刃径 d	刃长 l	柄径 D	全长 L	型号 Order NO.	刃径 d	刃长 l	柄径 D	全长 L
HN-3D-CD-0030	3	20	4	62	HN-3D-CD-0062	6.2	34	8	79
HN-3D-CD-0031	3.1	20	4	62	HN-3D-CD-0063	6.3	34	8	79
HN-3D-CD-0032	3.2	20	4	62	HN-3D-CD-0064	6.4	34	8	79
HN-3D-CD-0033	3.3	20	4	62	HN-3D-CD-0065	6.5	34	8	79
HN-3D-CD-0034	3.4	20	4	62	HN-3D-CD-0066	6.6	34	8	79
HN-3D-CD-0035	3.5	20	4	62	HN-3D-CD-0067	6.7	34	8	79
HN-3D-CD-0036	3.6	20	4	62	HN-3D-CD-0068	6.8	34	8	79
HN-3D-CD-0037	3.7	20	4	62	HN-3D-CD-0069	6.9	34	8	79
HN-3D-CD-0038	3.8	24	4	62	HN-3D-CD-0070	7	34	8	79
HN-3D-CD-0039	3.9	24	4	62	HN-3D-CD-0071	7.1	41	8	79
HN-3D-CD-0040	4	24	4	62	HN-3D-CD-0072	7.2	41	8	79
HN-3D-CD-0041	4.1	24	6	66	HN-3D-CD-0073	7.3	41	8	79
HN-3D-CD-0042	4.2	24	6	66	HN-3D-CD-0074	7.4	41	8	79
HN-3D-CD-0043	4.3	24	6	66	HN-3D-CD-0075	7.5	41	8	79
HN-3D-CD-0044	4.4	24	6	66	HN-3D-CD-0076	7.6	41	8	79
HN-3D-CD-0045	4.5	24	6	66	HN-3D-CD-0077	7.7	41	8	79
HN-3D-CD-0046	4.6	24	6	66	HN-3D-CD-0078	7.8	41	8	79
HN-3D-CD-0047	4.7	24	6	66	HN-3D-CD-0079	7.9	41	8	79
HN-3D-CD-0048	4.8	28	6	66	HN-3D-CD-0080	8	41	8	79
HN-3D-CD-0049	4.9	28	6	66	HN-3D-CD-0081	8.1	47	10	89
HN-3D-CD-0050	5	28	6	66	HN-3D-CD-0082	8.2	47	10	89
HN-3D-CD-0051	5.1	28	6	66	HN-3D-CD-0083	8.3	47	10	89
HN-3D-CD-0052	5.2	28	6	66	HN-3D-CD-0084	8.4	47	10	89
HN-3D-CD-0053	5.3	28	6	66	HN-3D-CD-0085	8.5	47	10	89
HN-3D-CD-0054	5.4	28	6	66	HN-3D-CD-0086	8.6	47	10	89
HN-3D-CD-0055	5.5	28	6	66	HN-3D-CD-0087	8.7	47	10	89
HN-3D-CD-0056	5.6	28	6	66	HN-3D-CD-0088	8.8	47	10	89
HN-3D-CD-0057	5.7	28	6	66	HN-3D-CD-0089	8.9	47	10	89
HN-3D-CD-0058	5.8	28	6	66	HN-3D-CD-0090	9	47	10	89
HN-3D-CD-0059	5.9	28	6	66	HN-3D-CD-0091	9.1	47	10	89
HN-3D-CD-0060	6	28	6	66	HN-3D-CD-0092	9.2	47	10	89
HN-3D-CD-0061	6.1	34	8	79	HN-3D-CD-0093	9.3	47	10	89

技术参数 TECHNICAL PARAMETER

型号 Order NO.	刃径 d	刃长 l	柄径 D	全长 L	型号 Order NO.	刃径 d	刃长 l	柄径 D	全长 L
HN-3D-CD-0094	9.4	47	10	89	HN-3D-CD-0126	12.6	60	14	107
HN-3D-CD-0095	9.5	47	10	89	HN-3D-CD-0127	12.7	60	14	107
HN-3D-CD-0096	9.6	47	10	89	HN-3D-CD-0128	12.8	60	14	107
HN-3D-CD-0097	9.7	47	10	89	HN-3D-CD-0129	12.9	60	14	107
HN-3D-CD-0098	9.8	47	10	89	HN-3D-CD-0130	13	60	14	107
HN-3D-CD-0099	9.9	47	10	89	HN-3D-CD-0131	13.1	60	14	107
HN-3D-CD-0100	10	47	10	89	HN-3D-CD-0132	13.2	60	14	107
HN-3D-CD-0101	10.1	55	12	102	HN-3D-CD-0133	13.3	60	14	107
HN-3D-CD-0102	10.2	55	12	102	HN-3D-CD-0134	13.4	60	14	107
HN-3D-CD-0103	10.3	55	12	102	HN-3D-CD-0135	13.5	60	14	107
HN-3D-CD-0104	10.4	55	12	102	HN-3D-CD-0136	13.6	60	14	107
HN-3D-CD-0105	10.5	55	12	102	HN-3D-CD-0137	13.7	60	14	107
HN-3D-CD-0106	10.6	55	12	102	HN-3D-CD-0138	13.8	60	14	107
HN-3D-CD-0107	10.7	55	12	102	HN-3D-CD-0139	13.9	60	14	107
HN-3D-CD-0108	10.8	55	12	102	HN-3D-CD-0140	14	60	14	107
HN-3D-CD-0109	10.9	55	12	102	HN-3D-CD-0145	14.5	65	16	115
HN-3D-CD-0110	11	55	12	102	HN-3D-CD-0146	14.6	65	16	115
HN-3D-CD-0111	11.1	55	12	102	HN-3D-CD-0147	14.7	65	16	115
HN-3D-CD-0112	11.2	55	12	102	HN-3D-CD-0148	14.8	65	16	115
HN-3D-CD-0113	11.3	55	12	102	HN-3D-CD-0149	14.9	65	16	115
HN-3D-CD-0114	11.4	55	12	102	HN-3D-CD-0150	15	65	16	115
HN-3D-CD-0115	11.5	55	12	102	HN-3D-CD-0151	15.1	65	16	115
HN-3D-CD-0116	11.6	55	12	102	HN-3D-CD-0152	15.2	65	16	115
HN-3D-CD-0117	11.7	55	12	102	HN-3D-CD-0153	15.3	65	16	115
HN-3D-CD-0118	11.8	55	12	102	HN-3D-CD-0154	15.4	65	16	115
HN-3D-CD-0119	11.9	55	12	102	HN-3D-CD-0155	15.5	65	16	115
HN-3D-CD-0120	12	55	12	102	HN-3D-CD-0156	15.6	65	16	115
HN-3D-CD-0121	12.1	60	14	107	HN-3D-CD-0157	15.7	65	16	115
HN-3D-CD-0122	12.2	60	14	107	HN-3D-CD-0158	15.8	65	16	115
HN-3D-CD-0123	12.3	60	14	107	HN-3D-CD-0159	15.9	65	16	115
HN-3D-CD-0124	12.4	60	14	107	HN-3D-CD-0160	16	65	16	115
HN-3D-CD-0125	12.5	60	14	107					

HN-5D-TD


5D钨钢钻头外冷
5D Carbide drill



技术参数 TECHNICAL PARAMETER



P	●
K	●
N	○
M	○
S	○
H	○




技术参数 TECHNICAL PARAMETER

型号 Order NO.	刃径 d	刃长 l	柄径 D	全长 L	型号 Order NO.	刃径 d	刃长 l	柄径 D	全长 L
HN-5D-TD-0010	1	6	4	50	HN-5D-TD-0042	4.2	36	6	74
HN-5D-TD-0011	1.1	6	4	50	HN-5D-TD-0043	4.3	36	6	74
HN-5D-TD-0012	1.2	7	4	50	HN-5D-TD-0044	4.4	36	6	74
HN-5D-TD-0013	1.3	8	4	50	HN-5D-TD-0045	4.5	36	6	74
HN-5D-TD-0014	1.4	9	4	50	HN-5D-TD-0046	4.6	36	6	74
HN-5D-TD-0015	1.5	9	4	50	HN-5D-TD-0047	4.7	36	6	74
HN-5D-TD-0016	1.6	10	4	50	HN-5D-TD-0048	4.8	44	6	82
HN-5D-TD-0017	1.7	10	4	50	HN-5D-TD-0049	4.9	44	6	82
HN-5D-TD-0018	1.8	11	4	50	HN-5D-TD-0050	5	44	6	82
HN-5D-TD-0019	1.9	12	4	50	HN-5D-TD-0051	5.1	44	6	82
HN-5D-TD-0020	2	12	4	50	HN-5D-TD-0052	5.2	44	6	82
HN-5D-TD-0021	2.1	13	4	50	HN-5D-TD-0053	5.3	44	6	82
HN-5D-TD-0022	2.2	13	4	50	HN-5D-TD-0054	5.4	44	6	82
HN-5D-TD-0023	2.3	14	4	50	HN-5D-TD-0055	5.5	44	6	82
HN-5D-TD-0024	2.4	14	4	50	HN-5D-TD-0056	5.6	44	6	82
HN-5D-TD-0025	2.5	15	4	50	HN-5D-TD-0057	5.7	44	6	82
HN-5D-TD-0026	2.6	16	4	50	HN-5D-TD-0058	5.8	44	6	82
HN-5D-TD-0027	2.7	16	4	50	HN-5D-TD-0059	5.9	44	6	82
HN-5D-TD-0028	2.8	17	4	50	HN-5D-TD-0060	6	44	6	82
HN-5D-TD-0029	2.9	17	4	50	HN-5D-TD-0061	6.1	53	8	91
HN-5D-TD-0030	3	28	4	66	HN-5D-TD-0062	6.2	53	8	91
HN-5D-TD-0031	3.1	28	4	66	HN-5D-TD-0063	6.3	53	8	91
HN-5D-TD-0032	3.2	28	4	66	HN-5D-TD-0064	6.4	53	8	91
HN-5D-TD-0033	3.3	28	4	66	HN-5D-TD-0065	6.5	53	8	91
HN-5D-TD-0034	3.4	28	4	66	HN-5D-TD-0066	6.6	53	8	91
HN-5D-TD-0035	3.5	28	4	66	HN-5D-TD-0067	6.7	53	8	91
HN-5D-TD-0036	3.6	28	4	66	HN-5D-TD-0068	6.8	53	8	91
HN-5D-TD-0037	3.7	28	4	66	HN-5D-TD-0069	6.9	53	8	91
HN-5D-TD-0038	3.8	36	4	66	HN-5D-TD-0070	7	53	8	91
HN-5D-TD-0039	3.9	36	4	66	HN-5D-TD-0071	7.1	53	8	91
HN-5D-TD-0040	4	36	4	66	HN-5D-TD-0072	7.2	53	8	91
HN-5D-TD-0041	4.1	36	6	74	HN-5D-TD-0073	7.3	53	8	91


型号 Order NO.	刃径 d	刃长 l	柄径 D	全长 L	型号 Order NO.	刃径 d	刃长 l	柄径 D	全长 L
HN-5D-TD-0074	7.4	53	8	91	HN-5D-TD-0116	11.6	71	12	118
HN-5D-TD-0075	7.5	53	8	91	HN-5D-TD-0117	11.7	71	12	118
HN-5D-TD-0076	7.6	53	8	91	HN-5D-TD-0118	11.8	71	12	118
HN-5D-TD-0077	7.7	53	8	91	HN-5D-TD-0119	11.9	71	12	118
HN-5D-TD-0078	7.8	53	8	91	HN-5D-TD-0120	12	71	12	118
HN-5D-TD-0079	7.9	53	8	91	HN-5D-TD-0121	12.1	77	14	124
HN-5D-TD-0080	8	53	8	91	HN-5D-TD-0122	12.2	77	14	124
HN-5D-TD-0081	8.1	61	10	103	HN-5D-TD-0123	12.3	77	14	124
HN-5D-TD-0082	8.2	61	10	103	HN-5D-TD-0124	12.4	77	14	124
HN-5D-TD-0083	8.3	61	10	103	HN-5D-TD-0125	12.5	77	14	124
HN-5D-TD-0084	8.4	61	10	103	HN-5D-TD-0126	12.6	77	14	124
HN-5D-TD-0085	8.5	61	10	103	HN-5D-TD-0127	12.7	77	14	124
HN-5D-TD-0086	8.6	61	10	103	HN-5D-TD-0128	12.8	77	14	124
HN-5D-TD-0087	8.7	61	10	103	HN-5D-TD-0129	12.9	77	14	124
HN-5D-TD-0088	8.8	61	10	103	HN-5D-TD-0130	13	77	14	124
HN-5D-TD-0089	8.9	61	10	103	HN-5D-TD-0131	13.1	77	14	124
HN-5D-TD-0090	9	61	10	103	HN-5D-TD-0132	13.2	77	14	124
HN-5D-TD-0091	9.1	61	10	103	HN-5D-TD-0133	13.3	77	14	124
HN-5D-TD-0092	9.2	61	10	103	HN-5D-TD-0134	13.4	77	14	124
HN-5D-TD-0093	9.3	61	10	103	HN-5D-TD-0135	13.5	77	14	124
HN-5D-TD-0094	9.4	61	10	103	HN-5D-TD-0136	13.6	77	14	124
HN-5D-TD-0095	9.5	61	10	103	HN-5D-TD-0137	13.7	77	14	124
HN-5D-TD-0096	9.6	61	10	103	HN-5D-TD-0138	13.8	77	14	124
HN-5D-TD-0097	9.7	61	10	103	HN-5D-TD-0139	13.9	77	14	124
HN-5D-TD-0098	9.8	61	10	103	HN-5D-TD-0140	14	77	14	124
HN-5D-TD-0099	9.9	61	10	103	HN-5D-TD-0145	14.5	83	16	133
HN-5D-TD-0100	10	61	10	103	HN-5D-TD-0146	14.6	83	16	133
HN-5D-TD-0101	10.1	71	12	118	HN-5D-TD-0147	14.7	83	16	133
HN-5D-TD-0102	10.2	71	12	118	HN-5D-TD-0148	14.8	83	16	133
HN-5D-TD-0103	10.3	71	12	118	HN-5D-TD-0149	14.9	83	16	133
HN-5D-TD-0104	10.4	71	12	118	HN-5D-TD-0150	15	83	16	133
HN-5D-TD-0105	10.5	71	12	118	HN-5D-TD-0151	15.1	83	16	133
HN-5D-TD-0106	10.6	71	12	118	HN-5D-TD-0152	15.2	83	16	133
HN-5D-TD-0107	10.7	71	12	118	HN-5D-TD-0153	15.3	83	16	133
HN-5D-TD-0108	10.8	71	12	118	HN-5D-TD-0154	15.4	83	16	133
HN-5D-TD-0109	10.9	71	12	118	HN-5D-TD-0155	15.5	83	16	133
HN-5D-TD-0110	11	71	12	118	HN-5D-TD-0156	15.6	83	16	133
HN-5D-TD-0111	11.1	71	12	118	HN-5D-TD-0157	15.7	83	16	133
HN-5D-TD-0112	11.2	71	12	118	HN-5D-TD-0158	15.8	83	16	133
HN-5D-TD-0113	11.3	71	12	118	HN-5D-TD-0159	15.9	83	16	133
HN-5D-TD-0114	11.4	71	12	118	HN-5D-TD-0160	16	83	16	133
HN-5D-TD-0115	11.5	71	12	118					

HN-5D-CD

5D 钨钢钻头内冷
5D Carbide drills with cooling hole



	P	●
	K	●
	N	○
	M	○
	S	○
H	○	



技术参数 TECHNICAL PARAMETER

型号 Order NO.	刃径 d	刃长 l	柄径 D	全长 L	型号 Order NO.	刃径 d	刃长 l	柄径 D	全长 L
HN-5D-CD-0030	3	28	4	66	HN-5D-CD-0062	6.2	53	8	91
HN-5D-CD-0031	3.1	28	4	66	HN-5D-CD-0063	6.3	53	8	91
HN-5D-CD-0032	3.2	28	4	66	HN-5D-CD-0064	6.4	53	8	91
HN-5D-CD-0033	3.3	28	4	66	HN-5D-CD-0065	6.5	53	8	91
HN-5D-CD-0034	3.4	28	4	66	HN-5D-CD-0066	6.6	53	8	91
HN-5D-CD-0035	3.5	28	4	66	HN-5D-CD-0067	6.7	53	8	91
HN-5D-CD-0036	3.6	28	4	66	HN-5D-CD-0068	6.8	53	8	91
HN-5D-CD-0037	3.7	28	4	66	HN-5D-CD-0069	6.9	53	8	91
HN-5D-CD-0038	3.8	36	4	66	HN-5D-CD-0070	7	53	8	91
HN-5D-CD-0039	3.9	36	4	66	HN-5D-CD-0071	7.1	53	8	91
HN-5D-CD-0040	4	36	4	66	HN-5D-CD-0072	7.2	53	8	91
HN-5D-CD-0041	4.1	36	6	74	HN-5D-CD-0073	7.3	53	8	91
HN-5D-CD-0042	4.2	36	6	74	HN-5D-CD-0074	7.4	53	8	91
HN-5D-CD-0043	4.3	36	6	74	HN-5D-CD-0075	7.5	53	8	91
HN-5D-CD-0044	4.4	36	6	74	HN-5D-CD-0076	7.6	53	8	91
HN-5D-CD-0045	4.5	36	6	74	HN-5D-CD-0077	7.7	53	8	91
HN-5D-CD-0046	4.6	36	6	74	HN-5D-CD-0078	7.8	53	8	91
HN-5D-CD-0047	4.7	36	6	74	HN-5D-CD-0079	7.9	53	8	91
HN-5D-CD-0048	4.8	44	6	82	HN-5D-CD-0080	8	53	8	91
HN-5D-CD-0049	4.9	44	6	82	HN-5D-CD-0081	8.1	61	10	103
HN-5D-CD-0050	5	44	6	82	HN-5D-CD-0082	8.2	61	10	103
HN-5D-CD-0051	5.1	44	6	82	HN-5D-CD-0083	8.3	61	10	103
HN-5D-CD-0052	5.2	44	6	82	HN-5D-CD-0084	8.4	61	10	103
HN-5D-CD-0053	5.3	44	6	82	HN-5D-CD-0085	8.5	61	10	103
HN-5D-CD-0054	5.4	44	6	82	HN-5D-CD-0086	8.6	61	10	103
HN-5D-CD-0055	5.5	44	6	82	HN-5D-CD-0087	8.7	61	10	103
HN-5D-CD-0056	5.6	44	6	82	HN-5D-CD-0088	8.8	61	10	103
HN-5D-CD-0057	5.7	44	6	82	HN-5D-CD-0089	8.9	61	10	103
HN-5D-CD-0058	5.8	44	6	82	HN-5D-CD-0090	9	61	10	103
HN-5D-CD-0059	5.9	44	6	82	HN-5D-CD-0091	9.1	61	10	103
HN-5D-CD-0060	6	44	6	82	HN-5D-CD-0092	9.2	61	10	103
HN-5D-CD-0061	6.1	53	8	91	HN-5D-CD-0093	9.3	61	10	103

技术参数 TECHNICAL PARAMETER

型号 Order NO.	刃径 d	刃长 l	柄径 D	全长 L	型号 Order NO.	刃径 d	刃长 l	柄径 D	全长 L
HN-5D-CD-0094	9.4	61	10	103	HN-5D-CD-0126	12.6	77	14	124
HN-5D-CD-0095	9.5	61	10	103	HN-5D-CD-0127	12.7	77	14	124
HN-5D-CD-0096	9.6	61	10	103	HN-5D-CD-0128	12.8	77	14	124
HN-5D-CD-0097	9.7	61	10	103	HN-5D-CD-0129	12.9	77	14	124
HN-5D-CD-0098	9.8	61	10	103	HN-5D-CD-0130	13	77	14	124
HN-5D-CD-0099	9.9	61	10	103	HN-5D-CD-0131	13.1	77	14	124
HN-5D-CD-0100	10	61	10	103	HN-5D-CD-0132	13.2	77	14	124
HN-5D-CD-0101	10.1	71	12	118	HN-5D-CD-0133	13.3	77	14	124
HN-5D-CD-0102	10.2	71	12	118	HN-5D-CD-0134	13.4	77	14	124
HN-5D-CD-0103	10.3	71	12	118	HN-5D-CD-0135	13.5	77	14	124
HN-5D-CD-0104	10.4	71	12	118	HN-5D-CD-0136	13.6	77	14	124
HN-5D-CD-0105	10.5	71	12	118	HN-5D-CD-0137	13.7	77	14	124
HN-5D-CD-0106	10.6	71	12	118	HN-5D-CD-0138	13.8	77	14	124
HN-5D-CD-0107	10.7	71	12	118	HN-5D-CD-0139	13.9	77	14	124
HN-5D-CD-0108	10.8	71	12	118	HN-5D-CD-0140	14	77	14	124
HN-5D-CD-0109	10.9	71	12	118	HN-5D-CD-0145	14.5	83	16	133
HN-5D-CD-0110	11	71	12	118	HN-5D-CD-0146	14.6	83	16	133
HN-5D-CD-0111	11.1	71	12	118	HN-5D-CD-0147	14.7	83	16	133
HN-5D-CD-0112	11.2	71	12	118	HN-5D-CD-0148	14.8	83	16	133
HN-5D-CD-0113	11.3	71	12	118	HN-5D-CD-0149	14.9	83	16	133
HN-5D-CD-0114	11.4	71	12	118	HN-5D-CD-0150	15	83	16	133
HN-5D-CD-0115	11.5	71	12	118	HN-5D-CD-0151	15.1	83	16	133
HN-5D-CD-0116	11.6	71	12	118	HN-5D-CD-0152	15.2	83	16	133
HN-5D-CD-0117	11.7	71	12	118	HN-5D-CD-0153	15.3	83	16	133
HN-5D-CD-0118	11.8	71	12	118	HN-5D-CD-0154	15.4	83	16	133
HN-5D-CD-0119	11.9	71	12	118	HN-5D-CD-0155	15.5	83	16	133
HN-5D-CD-0120	12	71	12	118	HN-5D-CD-0156	15.6	83	16	133
HN-5D-CD-0121	12.1	77	14	124	HN-5D-CD-0157	15.7	83	16	133
HN-5D-CD-0122	12.2	77	14	124	HN-5D-CD-0158	15.8	83	16	133
HN-5D-CD-0123	12.3	77	14	124	HN-5D-CD-0159	15.9	83	16	133
HN-5D-CD-0124	12.4	77	14	124	HN-5D-CD-0160	16	83	16	133
HN-5D-CD-0125	12.5	77	14	124					